



Item Code: ESTG310105

PRINTeS™ - Eco Solvent / Solvent Banner Media - Coated DuPont™ Tyvek®

Introduction

Eco Solvent / Solvent printable media made up of spunbonded high density polyethylene media, with exceptionally high tear strength and extremely light weight. High dimensional stability, chemically and biologically inert. Compatible to both mechanical and chemical recycling.

Printing

- · Suitable for any Solvent / Eco Solvent Printers
- · Prints exceptionally well on UV and Latex Printers

Features

- Can be printed on both Solvent, Eco Solvent, UV and Latex Printers
- Highest strength to weight ratio saves good money in logistics and erection costs.
- Offers near perfect colour matching with the design to be printed.
- Good print life even in outdoor environment
- Seaming, riveting, stitching and pasting Highly Versatile
- 100% Recyclable Coating is water based and the base material is DuPont™ Tyvek® Ease of recyclability number 2 (HDPE Non Woven Fabric)

Applications

Extremely good for soft signage like Hanging Banners, Flag Signage, Drapes, Roll Up Standees / Banners,
Exhibition Table Covers etc

Technical Specifications

Grade :	PRINTeS™ ES S 300
Basic Material :	DuPont™ Tyvek® 1082D (100% HDPE Non-Woven Fabric)
Basic Weight:	120 GSM (115-123)
Thickness:	310 microns (11 mil approx.)
Delamination Strength :	-
Opacity:	98.5%
Tensile strength M.D :	290 N
Tensile Strength T.D:	325 N
Mullenburst Strength :	-
Elemendorf Tear M.D :	7.7 N
Elemendorf Tear T.D:	7.3 N
Elongation at Break MD :	16-23%
Elongation at Break TD :	18-23%
Available Sizes :	916 mm, 1016mm, 1524mm
Roll Length :	50 meters









DuPont™ Tyvek® are trademarks or registered trademarks of E. I. du Pont de Nemours and Company or its affiliates. | PRINTeS™ is a registered trade mark of TES Techno Coats Pvt Ltd

Important Note: All statements, technical information and recommendations are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and following is made in lieu of all warranties of merchantability and fitness for the purpose. Sellers and manufacturers on obligation shall be to replace such quantity of the product proved to be defective. Before using, user shall determine suitability of the product for intended use, and user assumes all risk and liability whatsoever in connection therewith. In our endeavor to continually improve our products, all specifications are subject to change without any prior notice or intimation.